



**1991**

1. Boyce, P., Hickie, I., & Parker, G. (1991). Parents, partners or personality? Risk factors for post-natal depression. *Journal of Affective Disorders*, 21(4), 245-255.
2. Boyce, P., Parker, G., Barnett, B., Cooney, M., & Smith, F. (1991). Personality as a vulnerability factor to depression. *British Journal of Psychiatry*, 159, 106-114.
3. Brodaty, H., Peters, K., Boyce, P., Hickie, I., & et al. (1991). Age and depression. *Journal of Affective Disorders*, 23(3), 137-149.
4. Chee, K.-Y., & Boyce, P. (1991). Frequency and severity of side-effects in lithium therapy. *The Australian Journal of Psychopharmacology*, 5(23-25).
5. Cullen, M., Mitchell, P., Brodaty, H., Boyce, P., & et al. (1991). Carbamazepine for treatment-resistant melancholia. *Journal of Clinical Psychiatry*, 52(11), 472-476.
6. Dwyer, J., Lloyd, A., Hickie, I., Wakefield, D., & Boughton, C. (1991). The response of patients with Chronic Fatigue Syndrome to intravenously administered gammaglobulin. In P. Imbach & U. E. Nydegger (Eds.), *Immunotherapy with Intravenous Gammaglobulins* (pp. 377-394). London: Academic Press Ltd.
7. Hickie, C., & Hickie, I. (1991). Evaluation of a cognitive-behavioural programme for patients with chronic fatigue syndrome. *The Chronic Fatigue and Immune Dysfunction Syndrome Chronicle (Abstract)*, Spring, 1991(Conference Issue), 95-96.
8. Hickie, I. (1991). The assessment of depression in patients with chronic fatigue syndrome. *The Chronic Fatigue and Immune Dysfunction Syndrome Chronicle (Abstract)*, Spring, 1991(Conference Issue), 91-95.
9. Hickie, I., Hickie, C., Lloyd, A., Silove, D., & Wakefield, D. (1991). Impaired immune function in melancholia: a longitudinal study. (abstract). *Biological Psychiatry*, 29, 271S.
10. Hickie, I., Lloyd, A., & Hickie, C. (1991). Cell-mediated immunity in patients with chronic fatigue syndrome, major depression and healthy control subjects (abstract). *Neuroendocrinology Letters*, 13, 250.
11. Hickie, I., Lloyd, A., & Wakefield, D. (1991). Chronic fatigue syndrome and depression (Corr). *Lancet*, 337, 922-923.
12. Hickie, I., Parker, G., Wilhelm, K., & Tennant, C. (1991). Perceived interpersonal risk factors of non-endogenous depression. *Psychological Medicine*, 21(2), 399-412.
13. Lloyd, A., Hickie, I., Brockman, A., Dwyer, J., & Wakefield, D. (1991). Cytokine levels in serum and cerebrospinal fluid in patients with chronic fatigue syndrome and control subjects. (corr.). *Journal of Infectious Diseases*, 164, 1023-1024.
14. Lloyd, A., Hickie, I., Wakefield, D., & Dwyer, J. (1991). Intravenous immunoglobulin treatment of chronic fatigue syndrome (corr.). *American Journal of Medicine*, 91(September), 320-321.
15. Mitchell, P. (1991). Serotonin receptor agonists and antagonists - clinical applications

Publications - 1991

- in psychiatry. *Australian Prescriber*, 14, 51-52.
16. Mitchell, P., & Cullen, M. J. (1991). Valproate for rapid-cycling unipolar affective disorder. *Journal of Nervous & Mental Disease*, 179(8), 503-504.
  17. Mitchell, P., & Mant, A. (1991). Update on insomnia. *Medical Journal of Australia*, 154, 193-194.
  18. Mitchell, P., & Perkins, R. (1991). John Cade and lithium (Corr.). *Lithium*, 2, 61.
  19. Mitchell, P., & Smythe, G. (1991). D,L-fenfluramine-induced increase in serum HVA correlates with prolactin and cortisol responses (Abstract). *Biological Psychiatry*, 29, 556S.
  20. Mitchell, P., Torda, T., Hickie, I., & Burke, C. (1991). Propofol as an anaesthetic agent for ECT: Effect on outcome and length of course. *Australian & New Zealand Journal of Psychiatry*, 25(2), 255-261.
  21. Mitchell, P., Waters, B., Morrison, N., Shine, J., & et al. (1991). Close linkage of bipolar disorder to chromosome 11 markers is excluded in two large Australian pedigrees. *Journal of Affective Disorders*, 21(1), 23-32.
  22. Mitchell, P. B., & Parker, G. B. (1991). Treatment of bipolar disorder.[see comment]. *Medical Journal of Australia*, 155(7), 488-493.
  23. Mitchell, P. B., & Smythe, G. A. (1991). Endocrine and amine responses to D,L-fenfluramine in normal subjects. *Psychiatry Research*, 39(2), 141-153.
  24. Mitchell, P. B., Smythe, G. A., Parker, G., Wilhelm, K., & et al. (1991). Growth hormone and other hormonal responses to clonidine in melancholic and nonmelancholic depressed subjects and controls. *Psychiatry Research*, 37(2), 179-193.
  25. Mitchell, P. B., Smythe, G. A., & Torda, T. (1991). "Artifactual ECT-induced hormone release": Response. *Biological Psychiatry*, 29(6), 619-620.
  26. O'Dea, J. F., Mitchell, P. B., & Hickie, I. B. (1991). Unilateral or bilateral electroconvulsive therapy for depression? A survey of practice and attitudes in Australia and New Zealand.[see comment]. *Medical Journal of Australia*, 155(1), 9-11.
  27. Parker, G. (1991). Sub-typing of depressive disorders: can melancholia/endogenous depression be defined by clinical features? *Focus on Depression*, 2(4), 80-83.
  28. Parker, G. (1991). *Melancholia in 1990: Definition and usefulness*. Paper presented at the Geigy Psychiatric Symposium "Mood Disorders".
  29. Parker, G., Hadzi-Pavlovic, D., Hickie, I., Boyce, P., & et al. (1991). Distinguishing psychotic and non-psychotic melancholia. *Journal of Affective Disorders*, 22(3), 135-148.
  30. Parker, G., Hadzi-Pavlovic, D., Hickie, I., Mitchell, P. B., & et al. (1991). Psychotic depression: A review and clinical experience. *Australian & New Zealand Journal of Psychiatry*, 25(2), 169-180.
  31. Parker, G., Hadzi-Pavlovic, D., Mitchell, P., Hickie, I., & et al. (1991). Psychosocial

*Publications - 1991*

- risk factors distinguishing melancholic and nonmelancholic depression: A comparison of six systems. *Psychiatry Research*, 39(3), 211-226.
32. Parker, G., Hall, W., Boyce, P., Hadzi-Pavlovic, D., Mitchell, P., Wilhelm, K., et al. (1991). Depression sub-typing: unitary, binary or arbitrary? *Australian & New Zealand Journal of Psychiatry*, 25(1), 63-76.
  33. Parker, G., & Mitchell, P. (1991). How to treat: Depression. *Australian Doctor Weekly*(22nd November), I-VII.
  34. Wilhelm, K. (1991). A longitudinal study of sex differences in depressive experience and coping styles in young adults. *Depression Briefing*, 2(4), 240-243.