



**1999**

1. Austin, M. P., Mitchell, P., Wilhelm, K., Parker, G., Hickie, I., Brodaty, H., et al. (1999). Cognitive function in depression: a distinct pattern of frontal impairment in melancholia? *Psychological Medicine*, 29(1), 73-85.
2. Austin, M.-P., Dudley, M., Launders, C., Dixon, C., & Macartney-Bourne, F. (1999). Description and evaluation of a domiciliary perinatal mental health service focussing on early intervention. *Archives of Women's Mental Health*, 2(4), 169-173.
3. Badenhop, R., Moses, M., P., M., Donald, J., Adams, L., & Schofield, P. (1999). A genome-wide screen for bipolar affective disorder susceptibility loci from 13 Australian pedigrees (abstract). *Molecular Psychiatry*, 4(1), S69.
4. Bowden, C. L., Mitchell, P., & Suppes, T. (1999). Lamotrigine in the treatment of bipolar depression. *European Neuropsychopharmacology*, 9(Suppl 4), S113-S117.
5. Calabrese, J. R., Bowden, C. L., Sachs, G. S., Ascher, J. A., Monaghan, E., & Rudd, G. D. (1999). A double-blind placebo-controlled study of lamotrigine monotherapy in outpatients with bipolar I depression. Lamictal 602 Study Group. *Journal of Clinical Psychiatry*, 60(2), 79-88.
6. Gillespie, N., Kirk, K. M., Heath, A. C., Martin, N. G., & Hickie, I. (1999). Somatic distress as a distinct psychological dimension. *Social Psychiatry & Psychiatric Epidemiology*, 34(9), 451-458.
7. Gladstone, G., Parker, G., Wilhelm, K., Mitchell, P., & Austin, M.-P. (1999). Characteristics of depressed patients who report childhood sexual abuse. *American Journal of Psychiatry*, 156(3), 431-437.
8. Hickie, I. (1999). Nefazodone for patients with chronic fatigue syndrome. *Australian & New Zealand Journal of Psychiatry*, 33(2), 278-280.
9. Hickie, I. (1999). 'SPHERE: A National Depression Project' 1999-2001. *Depression Awareness Journal*, 8(1).
10. Hickie, I., Bennett, B., Lloyd, A., Heath, A., & Martin, N. (1999). Complex genetic and environmental relationships between psychological distress, fatigue and immune functioning: A twin study. *Psychological Medicine*, 29(2), 269-277.
11. Hickie, I., & Davenport, T. (1999). A behavioral approach based on reconstructing the sleep-wake cycle. *Cognitive & Behavioral Practice*, 6(4), 442-450.
12. Hickie, I., Kirk, K., & Martin, N. (1999). Unique genetic and environmental determinants of prolonged fatigue: A twin study. *Psychological Medicine*, 29(2), 259-268.
13. Hickie, I., Koschera, A., Hadzi-Pavlovi, D., Bennett, B., & Lloyd, A. (1999). The temporal stability and co-morbidity of prolonged fatigue: A longitudinal study in primary care. *Psychological Medicine*, 29(4), 855-861.
14. Hickie, I., Scott, E., & Davenport, T. (1999). An agenda for psychiatric education in primary care. *Australasian Psychiatry*, 7, 133-136.

## Publications - 1999

15. Hickie, I., Ward, P., Scott, E., Haindl, W., Walker, B., Dixon, J., et al. (1999). Neurostriatal rCBF correlates of psychomotor slowing in patients with major depression. *Psychiatry Research: Neuroimaging*, 92(2-3), 75-81.
16. Hickie, I. B. (1999). Primary care psychiatry is not specialist psychiatry in general practice.[see comment]. *Medical Journal of Australia*, 170(4), 171-173.
17. Hickie, I. B., Scott, E. M., & Davenport, T. A. (1999). Are antidepressants all the same? Surveying the opinions of Australian psychiatrists. *Australian & New Zealand Journal of Psychiatry*, 33(5), 642-649.
18. Hickie, I. B., Scott, E. M., & Davenport, T. A. (1999). Enhancing the evidence base for clinical psychiatry: are practice surveys a useful tool? *Medical Journal of Australia*, 171(6), 315-318.
19. Kirk, K. M., Hickie, I. B., & Martin, N. G. (1999). Fatigue as related to anxiety and depression in a community-based sample of twins aged over 50. *Social Psychiatry & Psychiatric Epidemiology*, 34(2), 85-90.
20. Koschera, A., Hickie, I., Hadzi-Pavlovic, D., Wilson, A., & Lloyd, A. (1999). Prolonged fatigue, anxiety and depression: Exploring relationships in a primary care sample. *Australian & New Zealand Journal of Psychiatry*, 33(4), 545-552.
21. Kwok, J. B., Adams, L. J., Salmon, J. A., Donald, J. A., Mitchell, P. B., & Schofield, P. R. (1999). Nonparametric simulation-based statistical analyses for bipolar affective disorder locus on chromosome 21q22.3. *American Journal of Medical Genetics*, 88(1), 99-102.
22. Lee, S., Levy, F., Mitchell, P., & Schofield, P. (1999). DNA and the developing brain in 2000 and beyond molecular genetics in the research of child psychiatric disorders (abstract). *Australian and New Zealand Journal of Psychiatry*, 33, A18.
23. Lloyd, A. R., Hickie, I., & Peterson, P. K. (1999). Chronic fatigue syndrome: current concepts of pathogenesis and treatment. *Current Clinical Topics in Infectious Diseases*, 19, 135-159.
24. Loo, C., Haindl, W., Sachdev, P., Mitchell, P., Som, S., & Walker, B. (1999). Regional CBF changes during prefrontal rTMS in depressed patients (abstract). *Biological Psychiatry*, 45, 120S.
25. Loo, C., Mitchell, P., Sachdev, P., McDarmont, B., Parker, G., & Gandevia, S. (1999). Double-blind controlled investigation of transcranial magnetic stimulation for the treatment of resistant major depression. *American Journal of Psychiatry*, 156(6), 946-948.
26. Loo, C., Taylor, J., Gandevia, S., McDarmont, B., Mitchell, P., & Sachdev, P. (1999). Sham TMS in controlled studies: Is it really 'sham'? (abstract). *Biological Psychiatry*, 45, 123S.
27. Mitchell, P. (1999). Management of treatment-resistant depression in the late 1990s. *Hong Kong Journal of Psychiatry*, 9(1), 3-11.
28. Mitchell, P. (1999). St John's wort - quack medicine or novel antidepressant treatment? *Australian Prescriber*, 22, 112-113.

## Publications - 1999

29. Mitchell, P. (1999). Depression disorders - Key areas for progress (pp. 12-16): Commonwealth Dept of Health and Aged Care. Australian Rotary Health Research Fund.
30. Mitchell, P. (1999). *The new antidepressant drugs: How sharp is the cutting edge?* Paper presented at the Fifth Lingard Symposium, Newcastle, NSW.
31. Mitchell, P., & Ball, J. (1999). Assessing and treating mixed anxiety and depression. *Modern Medicine of South Africa*, 51-58.
32. Mitchell, P., & Ball, J. (1999). Assessing and treating mixed anxiety and depression. *Modern Medicine of the Middle East*, 16, 43-50.
33. Mitchell, P., Hadzi-Pavlovic, D., & Manji, H. (1999). Fifty years of treatments for bipolar disorder: a celebration of John Cade's discovery (Editorial comment). *Australian and New Zealand Journal of Psychiatry*, 33(Supplement), S6-S6.
34. Mitchell, P., Schweitzer, I., Burrows, G., Johnson, G., & Polonowita, A. (1999). The efficacy of venlafaxine and predictors of response in a prospective study of resistant depression. *The International Journal of Neuropsychopharmacology*, 2(Supplement 1), S81.
35. Mitchell, P. B. (1999). The place of anticonvulsants and other putative mood stabilisers in the treatment of bipolar disorder. *Australian & New Zealand Journal of Psychiatry*, 33(Suppl), S99-S107.
36. Mitchell, P. B. (1999). On the 50th anniversary of John Cade's discovery of the anti-manic effect of lithium. *Australian & New Zealand Journal of Psychiatry*, 33(5), 623-628.
37. Mitchell, P. B., & Hadzi-Pavlovic, D. (1999). John Cade and Frank Macfarlane Burnet anniversaries (comment). *Medical Journal of Australia*, 171(9), 502.
38. Mitchell, P. B., & Hadzi-Pavlovic, D. (1999). John Cade and the discovery of lithium treatment for manic depressive illness. *Medical Journal of Australia*, 171(5), 262-264.
39. Morgan, H., Sumich, H., Hickie, I., Naismith, S., Davenport, T., & Whitten, D. (1999). A cognitive-behavioural therapy training program for general practitioners to manage depression. *Australasian Psychiatry*, 7(6), 326-328.
40. Parker, G. (1999). Bipolar disorder - the latest. *Australian Doctor*(August 20), 49.
41. Parker, G. (1999). Depression comorbid with physical illness. *Current Opinion in Psychiatry*, 12, 87-92.
42. Parker, G. (1999). Bipolar depression: does its clinical expression inform us about the clinical features of melancholia? (abstract). *Bipolar Disorders*, S1(1), 93.
43. Parker, G. (1999). Diagnostic line-drawing: How to pick an eagle from a turkey (comment). *Australian Psychologist*, 34(1), 30-34.
44. Parker, G. (1999). *The RADAR detection system for depression*. Paper presented at the Directions in Psychiatry, Sydney, NSW.
45. Parker, G. (1999). *Defining depression as a movement disorder*. Paper presented at the Fifth Lingard Symposium.

46. Parker, G. (1999). Depression Management: No longer at all costs. In M. Maj (Ed.), *Evidence and Experience in Psychiatry* (Vol. 1, pp. 468-470). Geneva: World Psychiatric Association.
47. Parker, G., Mahendran, R., Yeo, S. G., Loh, M. I., & Jorm, A. F. (1999). Diagnosis and treatment of mental disorders: A survey of Singapore mental health professionals. *Social Psychiatry & Psychiatric Epidemiology*, *34*(10), 555-563.
48. Parker, G., Mitchell, P., Wilhelm, K., Menkes, D., Snowdon, J., Schweitzer, I., et al. (1999). Are the newer antidepressant drugs as effective as established physical treatments? Results from an Australasian clinical panel review. *Australian & New Zealand Journal of Psychiatry*, *33*(6), 874-881.
49. Parker, G., Roy, K., Wilhelm, K., Mitchell, P., Austin, M. P., & Hadzi-Pavlovic, D. (1999). Sub-grouping non-melancholic major depression using both clinical and aetiological features. *Australian & New Zealand Journal of Psychiatry*, *33*(2), 217-225.
50. Parker, G., Roy, K., Wilhelm, K., Mitchell, P., Austin, M. P., & Hadzi-Pavlovic, D. (1999). An exploration of links between early parenting experiences and personality disorder type and disordered personality functioning. *Journal of Personality Disorders*, *13*(4), 361-374.
51. Parker, G., Roy, K., Wilhelm, K., Mitchell, P., Austin, M. P., Hadzi-Pavlovic, D., et al. (1999). Sub-grouping non-melancholic depression from manifest clinical features. *Journal of Affective Disorders*, *53*(1), 1-13.
52. Parker, G., Wilhelm, K., Mitchell, P., Austin, M.-P., Roussos, J., & Gladstone, G. (1999). The influence of anxiety as a risk to early onset depression. *Journal of Affective Disorders*, *52*(1-3), 11-17.
53. Parker, G., Wilhelm, K., Mitchell, P., Roy, K., & Hadzi-Pavlovic, D. (1999). Subtyping depression: Testing algorithms and identification of a tiered model. *Journal of Nervous & Mental Disease*, *187*(10), 610-617.
54. Schofield, P., Badenhop, R., Adams, L., Morris, J., Moses, M., Ma, L., et al. (1999). Haplotype analysis of a bipolar affective disorder susceptibility locus on chromosome 4q35 (abstract). *Molecular Psychiatry*, *4*(1), S20.
55. Van der Linden, G., Chalder, T., Hickie, I., Koschera, A., Sham, P., & Wessely, S. (1999). Fatigue and psychiatric disorder: Different or the same? *Psychological Medicine*, *29*(4), 863-868.
56. Walter, G., Rey, J. M., & Mitchell, P. B. (1999). Practitioner review: Electroconvulsive therapy in adolescents. *Journal of Child Psychology & Psychiatry*, *40*(3), 325-334.
57. Walter, K., & Mitchell, P. (1999). The comparative effectiveness of fixed and stimulus dosing forms of electroconvulsive therapy for the treatment of unipolar depression: a "quality assurance" study. *Australasian Psychiatry*, *7*(5), 262-263.
58. Wilhelm, K., Parker, G., Dewhurst-Savellis, J., & Asghari, A. (1999). Psychological predictors of single and recurrent major depressive episodes. *Journal of Affective Disorders*, *54*(1-2), 139-147.