



2002

1. Arnold, K., & Wilhelm, K. (2002). "Depression in adolescence" In CHECK - Program of Self-Assessment. *Psychiatry - Common primary care problems*, 368(October).
2. Austin, M. P., & Lumley, J. (2002). Antenatal screening for women at risk of post-natal depression. *Acta Psychiatrica Scandinavica.*, 106, 1-8.
3. Badenhop, R. F., Moses, M. J., Scimone, A., Mitchell, P. B., Ewen-White, K. R., Rosso, A., et al. (2002). A genome screen of 13 bipolar affective disorder pedigrees provides evidence for susceptibility loci on chromosome 3 as well as chromosomes 9, 13 and 19. *Molecular Psychiatry*, 7(8), 851-859.
4. Blair, I. P., Adam, L. J., Badenhop, R. F., Moses, M. J., Scimone, A., Morris, J. A., et al. (2002). Stylized transcript map of chromosome 4q35 encompassing the locus for a bipolar disorder susceptibility gene. *Molecular Psychiatry*, 7(7), 669.
5. Blair, I. P., Adams, L. J., Badenhop, R. F., Moses, M. J., Scimone, A., Morris, J. A., et al. (2002). A transcript map encompassing a susceptibility locus for bipolar affective disorder on chromosome 4q35. *Molecular Psychiatry*, 7(8), 867-873.
6. Brodaty, H., Mitchell, P., Luscombe, G., Kwok, J. J., Badenhop, R. F., McKenzie, R., et al. (2002). Familial idiopathic basal ganglia calcification (Fahr's disease) without neurological, cognitive and psychiatric symptoms is not linked to the IBGC1 locus on chromosome 14q. *Human Genetics*, 110(1), 8-14.
7. Brodaty, H., Withall, A., Koschera, A., Lorentz, L., Sachdev, P., & Valenzuela, M. (2002). Apathy and depression after stroke are distinct syndromes (abstract). *Neurobiology of Aging: Age-related Phenomena, Neurodegeneration and Neuropathology*, A183.
8. Brownhill, S., Wilhelm, K., Barclay, L., & Parker, G. (2002). Detecting depression in men: a matter of guesswork. *International Journal of Mens' Health & Social Care in the Community*, 1, 259-380.
9. Buist, A. E., Barnett, B. E., Milgrom, J., Pope, S., Condon, J. T., Ellwood, D. A., et al. (2002). To screen or not to screen--that is the question in perinatal depression. *Medical Journal of Australia*, 177 Suppl, S101-105.
10. Dean, A. J., Bell, J., Mascord, D. J., Parker, G., & Christie, M. J. (2002). A randomised, controlled trial of fluoxetine in methadone maintenance patients with depressive symptoms. *Journal of Affective Disorders*, 72(1), 85-90.
11. Gladstone, G. L., & Parker, G. B. (2002). When you're smiling, does the whole world smile for you? *Australasian Psychiatry*, 10(2), 144-146.
12. Grunze, H., Kasper, S., Goodwin, G., Bowden, C., Baldwin, D., Licht, R., et al. (2002). World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Bipolar Disorders, Part I: Treatment of Bipolar Depression. *Journal of Biological Psychiatry*, 3, 115-124.
13. Kotze, B. (2002). Depression in the medically ill. In L. Newman & J. Streimer (Eds.), *An introduction to consultation-liaison psychiatry*. Sydney: NSW Institute of

Psychiatry, Postgraduate Course in Psychiatry.

14. Looi, J., Sachdev, P., Valenzuela, M., Lorentz, L., & Sims, J. (2002). Correlation of neuroimaging and neuropsychological function in the Sydney longitudinal study of stroke (abstract). *Neurobiology of Aging: Age-related Phenomena, Neurodegeneration and Neuropathology*, A209.
15. Lumley, J., & Austin, M.-P. (2002). *What interventions may reduce depression after birth?*
16. Malhi, G. S. (2002). The case for cothymia: An open verdict? (comment). *British Journal of Psychiatry*, 180(4), 380.
17. Malhi, G. S., & Berk, M. (2002). Pharmacotherapy of bipolar disorders: The role of atypical antipsychotics and experimental strategies. *Human Psychopharmacology: Clinical & Experimental*, 17(8), 407-412.
18. Malhi, G. S., Parker, G. B., Gladstone, G., Wilhelm, K., & Mitchell, P. B. (2002). Recognizing the anxious face of depression. *Journal of Nervous & Mental Disease*, 190(6), 366-373.
19. Malhi, G. S., Parker, G. B., Parker, K., Kirkby, K. C., Boyce, P., Yellowlees, P., et al. (2002). Shrinking away from psychiatry? A survey of Australian medical students' interest in psychiatry. *Australian & New Zealand Journal of Psychiatry*, 36(3), 416-423.
20. Malhi, G. S., & Sachdev, P. (2002). Novel physical treatments for the management of neuropsychiatric disorders. *Journal of Psychosomatic Research*, 53(2), 709-720.
21. Malhi, G. S., Valenzuela, M., Wen, W., & Sachdev, P. (2002). Magnetic resonance spectroscopy and its applications in psychiatry. *Australian & New Zealand Journal of Psychiatry*, 36(1), 31-43.
22. Mitchell, P. (2002). The clinical features of bipolar depression (letter). *Journal of Clinical Psychiatry*, 63, 78.
23. Mitchell, P. (2002). 15 Hz and 1 Hz transcranial magnetic stimulation have different acute effects on cerebral blood flow in depressed patients (abstract). *The International Journal of Neuropsychopharmacology*, S.08.02:S07.
24. Mitchell, P. B. (2002). Blue genes and magnetic therapies -17 years of research into the causes and treatments of mood disorders. Organon Reserach Award. *Australia and New Zealand Journal of Psychiatry*, 36, A29.
25. Mitchell, P. B., & Malhi, G. S. (2002). The expanding pharmacopoeia for bipolar disorder. *Annual Review of Medicine*, 53, 173-188.
26. Naismith, S., Hickie, I., Ward, P. B., Turner, K., Scott, E., Little, C., et al. (2002). Caudate nucleus volumes and genetic determinants of homocysteine metabolism in the prediction of psychomotor speed in older persons with depression. *American Journal of Psychiatry*, 159(12), 2096-2098.
27. Parker, G. (2002). Do the newer antidepressants have mood stabilizing properties? (comment). *Australian & New Zealand Journal of Psychiatry*, 36(3), 427-428.
28. Parker, G. (2002). Differential effectiveness of newer and older antidepressants

Publications - 2002

- appears mediated by an age effect on the phenotypic expression of depression. *Acta Psychiatrica Scandinavica*, 106(3), 168-170.
29. Parker, G. (2002). Olanzapine augmentation in the treatment of melancholia: The trajectory of improvement in rapid responders. *International Clinical Psychopharmacology*, 17(2), 87-89.
 30. Parker, G. (2002). The Black Dog Institute. *Australasian Psychiatry*, 10(3), 232-235.
 31. Parker, G. (2002). *Dealing with Depression: A Commonsense Guide to Mood Disorders*. Sydney: Allen & Unwin.
 32. Parker, G. (2002). *Management strategies in melancholia*. Paper presented at the Proceedings of the 14th Congress of the European College of Neuropsychopharmacology.
 33. Parker, G. (2002). Management of melancholia. *Expert Review of Neurotherapeutics*, 2, 233-238.
 34. Parker, G. (2002). The nature of melancholy: from Aristotle to Kristeva (book review). *American Journal of Psychiatry*, 159, 1444.
 35. Parker, G. (2002). Psychiatric comorbidity: a true coexistence or a nosological oversight? (abstract). *International Journal of Neuropsychopharmacology*, 5(Supplement 1), S224.
 36. Parker, G. (2002). How to treat depression. *Australian Doctor*(October 25th), I-VIII.
 37. Parker, G. (2002). Augmentation of antidepressants by atypical antipsychotics: Clinician uptake outpacing the literature base. *Psychiatric Times*, XIX, 69-72.
 38. Parker, G. (2002). Depression and the pharmacist. *Australian Pharmacist*, 21, 922 - 926.
 39. Parker, G. (2002). *Early onset depression is preceded by anxiety*
 40. Parker, G. (2002). Acta strides the world stage (Editorial). *Acta Psychiatrica Scandinavica*, 105, 241-242.
 41. Parker, G. (2002). Reply to the editor (corr.). *Journal of Affective Disorders*, 73, 203-204.
 42. Parker, G. (2002). Bipolar depression: how high the cost? In M. Maj, H. S. Akiskal, J. J. Lopez-Ibor & N. Sartorius (Eds.), *Bipolar Disorder* (Vol. 5, pp. 482-484). Chichester: Wiley.
 43. Parker, G., Both, L., Olley, A., Hadzi-Pavlovic, D., Irvine, P., & Jacobs, G. (2002). Defining disordered personality functioning. *Journal of Personality Disorders*, 16(6), 503-522.
 44. Parker, G., Gladstone, G., & Hadzi-Pavlovic, D. (2002). Measuring psychomotor agitation by use of an actimeter. *Journal of Affective Disorders*, 72(1), 91-94.
 45. Parker, G., Hilton, T., Bains, J., & Hadzi-Pavlovic, D. (2002). Cognitive-based measures screening for depression in the medically ill: the DMI-10 and the DMI-18. *Acta Psychiatrica Scandinavica*, 105(6), 419-426.

Publications - 2002

46. Parker, G., & Malhi, G. (2002). Are the atypical antipsychotic drugs antidepressants? *Journal of Clinical Psychopharmacology*, 22(1), 94-95.
47. Parker, G., O'Donnell, M., Hadzi-Pavlovic, D., & Proberts, M. (2002). Assessing outcome in community mental health patients: A comparative analysis of measures. *International Journal of Social Psychiatry*, 48(1), 11-19.
48. Parker, G., & Parker, K. (2002). A profile of regional psychiatry publishing: home and away. *Australian and New Zealand Journal of Psychiatry*, 33, 693-696.
49. Parker, G., & Roy, K. (2002). Examining the utility of a temperament model for modeling non-melancholic depression. *Acta Psychiatrica Scandinavica*, 106(1), 54-61.
50. Parker, G., Roy, K., Mitchell, P., Wilhelm, K., Malhi, G., & Hadzi-Pavlovic, D. (2002). Atypical depression: A reappraisal. *American Journal of Psychiatry*, 159(9), 1480-1481.
51. Parker, G., & Watkins, T. (2002). Treatment-resistant depression: When antidepressant drug intolerance may indicate food intolerance. *Australian & New Zealand Journal of Psychiatry*, 36(2), 263-265.
52. Peisah, C., & Wilhelm, K. (2002). The impaired ageing doctor. *Internal Medicine Journal*, 32(9-10), 457-459.
53. Reutens, S., & Sachdev, P. (2002). Homocysteine in neuropsychiatric disorders of the elderly. *International Journal of Geriatric Psychiatry*, 17(9), 859-864.
54. Sachdev, P. (2002). Neuropsychiatry - a discipline for the future (editorial). *Journal of Psychosomatic Research*, 53(2), 625-627.
55. Sachdev, P. S., McBride, R., Loo, C., Mitchell, P. M., Malhi, G. S., & Croker, V. (2002). Effects of different frequencies of transcranial magnetic stimulation (TMS) on the forced swim test model of depression in rats. *Biological Psychiatry*, 51(6), 474-479.
56. Sachdev, P. S., Valenzuela, M., Wang, X. L., Looi, J. C., & Brodaty, H. (2002). Relationship between plasma homocysteine levels and brain atrophy in healthy elderly individuals.[see comment]. *Neurology*, 58(10), 1539-1541.
57. Tohen, M., Vieta, E., Ketter, T., Centorino, F., Calabrese, J., Sachs, G., et al. (2002). Olanzapine in the treatment of bipolar depression (abstract). *The International Journal of Neuropsychopharmacology*, 5(Suppliment I), P.2.E.060:S109.
58. Wilhelm, K. (2002). How to treat section: Difficult consultations. *Australian Doctor, Supplement*(July 26).
59. Wilhelm, K., & Arnold, K. (2002). "Depression in the elderly" In CHECK - Program of Self-Assessment. *Psychiatry - Common primary care problems*, 368(October).
60. Wilhelm, K., Roy, K., Mitchell, P., Brownhill, S., & Parker, G. (2002). Gender differences in depression risk and coping factors in a clinical sample. *Acta Psychiatrica Scandinavica*, 106(1), 45-53.